



SZNAJDER
BATTERIEN®

www.szajder.eu

2012

A black and white photograph of a large industrial factory interior. The scene is filled with complex machinery, conveyor belts, and structural elements, creating a sense of a busy manufacturing environment. The lighting is dramatic, with strong highlights and deep shadows.

SZNAJDER
BATTERIEN[®]

www.sznajder.eu

ISO 9001 ISO 14001


ISO/TS 16949

Catalogue code	Ah 20h	A EN								Magic Eye	Fire Protection	
----------------	--------	------	--	--	--	--	--	--	--	-----------	-----------------	--

Expedition plus AGM


Expedition plus AGM

570 01	70	640	0	1	B13	L3	SL/IV	IHL	-	X
566103051										



Expedition plus AGM

595 01	95	780	0	1	B13	L5	SL/IV	IHL	-	X
600105076										




Catalogue code	Ah 20h	A EN								Magic Eye	Fire Protection	
----------------	--------	------	--	--	--	--	--	--	--	-----------	-----------------	--

Silver / Silver Japan

Silver Japan

New!


535 70	35	280	0	3	B00	B20	BL/IV	HL1	X	X
535020024										



Silver Japan


New!

535 72	35	280	1	3	B00	B20	BL/IV	HL1	X	X
535022024										




Silver Japan

545 70	45	360	0	3+A	B00	B24	BL/IV	IHL	X	X
545084030										



Silver Japan

545 72	45	360	1	3+A	B00	B24	BL/IV	IHL	X	X
545051030										



Catalogue code	Ah 20h	A EN											
Silver 546 25 545108036	46	400	0	1	B13+A	LB1	SL/IV	IHL	X	X			
Silver 547 25 544059036	47	400	0	1	B13	L1	SL/IV	IHL	X	X			
Silver 553 25 545108036	53	450	0	1	B13+A	LB1	SL/IV	IHL	X	X			
Silver 555 25 544059036	55	460	0	1	B13	L1	SL/IV	IHL	X	X			
Silver 555 26 544064036	55	460	1	1	B13	L1	SL/IV	IHL	X	X			
Silver 562 25 563107054	62	540	0	1	B13	L2	SL/IV	IHL	X	X			
Silver 564 25 562111051	64	530	0	1	B13+A	LB2	SL/IV	IHL	X	X			
Silver 565 25 562065048	65	540	0	1	B13	L2	SL/IV	IHL	X	X			
Silver 565 26 574005068	65	540	1	1	B13	L2	SL/IV	IHL	X	X			
Silver 570 25 562065048	70	570	0	1	B13	L2	SL/IV	IHL	X	X			

Catalogue code	Ah 20h	A EN								Magic Eye	Fire Protection	
Silver												
570 26 574005068	70	570	1	1	B13	L2	SL/IV	IHL	X	X		
Silver												
575 25 563107054	75	640	0	1	B13+A	LB3	SL/IV	IHL	X	X		
Silver												
580 25 580107072	80	700	0	1	B13	L3	SL/IV	IHL	X	X		
Silver Japan												
580 70 570029054	80	560	0	1	B05	D26	BL/IV	IHL	X	X		
Silver Japan												
580 72 570024054	80	560	1	1	B05	D26	BL/IV	IHL	X	X		
Silver												
596 25 592102076	96	760	0	1	B13+A	LB5	SL/IV	IHL	X	X		
Silver												
600 25 600101085	100	800	0	1	B13	L5	SL/IV	IHL	X	X		
Silver Japan												
600 70 600032068	100	700	0	1	B01	D31	BL/IV	IHL	X	X		
Silver Japan												
600 72 600033068	100	700	1	1	B01	D31	BL/IV	IHL	X	X		

Catalogue code	Ah 20h	A EN								Magic Eye	Fire Protection	
----------------	--------	------	--	--	--	--	--	--	--	-----------	-----------------	--

Plus / Ultra

Plus												
538 46 535022024	38	300	1	1	B13	L1	SL/IV	IHL	-	X		
Plus Vw & Audi												
538 58 536046030	38	300	0	1	B13+A	LB1	SL/IV	IHL	-	X		
Plus												
538 59 5360530300	38	300	0	1	B13	L1	SL/IV	IHL	-	X		
Plus												
543 08 540108033	43	340	0	1	B03	L0	SL	HL1	-	-		
Plus Japan cars												
545 23 545023030	45	340	0	3+A	B00	B24	BL/IV	IHL	-	X		
Plus Japan cars												
545 24 545024030	45	340	1	3+A	B00	B24	BL/IV	IHL	-	X		
Plus Japan cars												
545 51 545051030	45	340	1	3	B00	B24	BL/IV	IHL	-	X		
Plus												
545 58 545108036	45	370	0	1	B13+A	LB1	SL/IV	IHL	-	X		
Ultra												
545 59 544059036	45	360	0	1	B13	L1	SL/IV	IHL	-	X		

PLUS / ULTRA

Catalogue code	Ah 20h	A EN								Mag ic Eye	Fire Protection	
Ultra												
545 65 544064036	45	360	1	1	B13	L1	SL/IV	IHL	-	X		
Plus Japan cars												
545 84 545084030	45	340	0	3	B00	B24	BL/IV	IHL	-	X		
Plus Ford												
550 57 54610245	50	460	0	19	B13	LB1	SL/IV	IHL	-	-		
Plus												
550 58 550103036	50	420	0	1	B13+A	LB1	SL/IV	IHL	-	X		
Plus												
550 59 550103036	50	420	0	1	B13	L1	SL/IV	IHL	-	X		
Plus												
550 65 550102036	50	420	1	1	B13	L1	SL/IV	IHL	-	X		
Ultra												
555 59 555059042	55	460	0	1	B13	L2	SL/IV	IHL	-	X		
Ultra												
555 65 555064042	55	460	1	1	B13	L2	SL/IV	IHL	-	X		
Plus Japan cars												
560 48 560048028	60	360	0	1	B05	D26	BL/IV	IHL	-	X		
Plus Japan cars												
560 49 560049028	60	360	1	1	B05	D26	BL/IV	IHL	-	X		

Catalogue code	Ah 20h	A EN								Mag. Eye	Fire Protection	
Plus Japan cars												
560 68 560068039	60	390	0	1	B00	D23	FL	-	-	-	-	
Plus Japan cars												
560 69 560069039	60	390	1	1	B00	D23	FL	-	-	-	-	
Plus Vw & Audi												
560 77 554026051	60	520	0	1	B13+A	LB2	SL/IV	IHL	-	-	X	
Plus Ford												
560 91 554101051	60	520	0	19	B13	LB2	SL/IV	IHL	-	-	-	
Plus												
562 58 562111051	62	520	0	1	B13+A	LB2	SL/IV	IHL	-	-	X	
Plus												
562 59 562059048	62	520	0	1	B13	L2	SL/IV	IHL	-	-	X	
Plus												
562 65 562065048	62	520	1	1	B13	L2	SL/IV	IHL	-	-	X	
Plus Vw & Audi												
565 30 564102064	65	640	0	1	B13+A	LB3	SL/IV	IHL	-	-	X	
Plus Japan cars												
570 24 570024054	70	540	1	1	B05	D26	BL/IV	IHL	-	-	X	
Plus Japan cars												
570 29 570029054	70	540	0	1	B05	D26	BL/IV	IHL	-	-	X	

Catalogue code	Ah 20h	A EN								Magic Eye	Fire Protection	
Ultra												
570 38 566103051	70	600	0	1	B13	L3	SL/IV	IHL	-	X		
Plus Ford												
572 21 571003068	72	640	0	19	B13	LB3	SL/IV	IHL	-	-		
Plus												
572 58 571105068	72	680	0	1	B13+A	LB3	SL/IV	IHL	-	X		
Plus												
574 12 574012068	74	680	0	1	B13	L3	SL/IV	IHL	-	X		
Plus												
574 14 574103068	74	680	1	1	B13	L3	SL/IV	IHL	-	X		
Plus												
575 19 574103068	75	720	1	1	B13	L3	SL/IV	IHL	-	X		
Plus												
575 20 574012068	75	720	0	1	B13	L3	SL/IV	IHL	-	X		
Plus												
580 14 575105064	80	700	0	1	B13+A	LB4	SL/IV	IHL	-	-		
Plus												
585 42 582101072	85	700	0	1	B13	L4	SL/IV	IHL	-	-		
Ultra												
588 27 588103068	88	640	0	1	B13	L5	SL/IV	IHL	-	X		

Catalogue code	Ah 20h	A EN								Mag. Eye	Fire Protection	
Plus												
592 18 592102076	92	720	0	1	B13	L5	SL/IV	IHL	-	X		
Plus Japan cars												
600 32 600032068	100	680	0	1	B01	D31	BL/IV	IHL	-	X		
Plus Japan cars												
600 33 600033068	100	680	1	1	B01	D31	BL/IV	IHL	-	X		
Plus												
600 38 600105076	100	760	0	1	B13	L5	SL/IV	IHL	-	X		
Plus												
600 65 600105076	100	760	1	1	B13	L5	SL/IV	IHL	-	X		

PLUS / ULTRA

Catalogue code	Ah 20h	A EN							HD	SHD		
Truck / Truck Evolution / SHD												
Truck Plus												
600 11 600018060	100	650	0	1	B01	D2	FL	IHL	-	-		
Truck Plus Evolution												
610 11 610047068	110	680	0	1	B01	D2	SL/IV	IHL	X	-		

Catalogue code	Ah 20h	A EN							HD	SHD	
Truck Plus Evolution											
625 11 625026064	125	750	0	1	B01	D2	SL/IV	IHL	X	-	
Truck Plus Evolution											
625 12 610048068	125	750	1	1	B01	D2	SL/IV	IHL	X	-	
Truck Plus Evolution											
625 13 620035068	125	690	3	1	B00	D4	FL	HL2	X	-	
Truck Plus Evolution											
625 27 620038068	125	690	4	1	B03	D4	FL	HL2	X	-	
Truck Plus Evolution											
635 44 635041068	135	800	3	1	B03	MAC	SL/IV	HL2	X	-	
Truck Plus Evolution											
643 14 643030090	143	950	3	1	B00	D5	FL	HL2	X	-	
Truck Plus Evolution											
643 27 643030090	143	950	3	1	B00	D5	SL/IV	HL2	X	-	
Truck Plus Evolution											
643 33 643030090	143	950	3	1	B03	D5	SL/IV	HL2	X	-	
Truck Plus Evolution											
643 89 643030090	143	950	4	1	B03	D5	SL/IV	HL2	X	-	
Truck Plus Evolution											
645 20 640020076	145	800	3	1	B00	D4	FL	HL2	X	-	

Catalogue code	Ah 20h	A EN								HD	SHD	
Truck Plus Evolution												
650 13 650038080	150	850	3	1	B00	D4	FL	HL2	X	-		
Truck SHD												
650 32 650038080	150	850	3	1	B00	D4	FL	HL2	-	X		
Truck Plus Evolution												
670 18 670018100	170	950	3	1	B00	D5	SL/IV	HL2	X	-		
Truck Plus Evolution												
670 19 670043100	170	950	3	1	B00	D5	FL	HL2	X	-		
Truck Plus Evolution												
680 13 680034100	180	1000	3	1	B00	D5	SL/IV	HL2	X	-		
Truck Plus Evolution												
680 14 680032100	180	1000	3	1	B00	D5	FL	HL2	X			
Truck SHD												
680 32 680034100	180	1000	3	1	B00	D5	SL/IV	HL2	-	X		
Truck Plus Evolution												
680 33 680035100	180	1000	3	1	B03	D5	SL/IV	HL2	X	-		
Truck SHD												
680 34 680032100	180	1000	3	1	B00	D5	FL	HL2	-	X		
Truck Plus Evolution												
680 89 680032100	180	1000	4	1	B03	D5	FL	HL2	X	-		

TRUCK / TRUCK PLUS EVOLUTION / TRUCK SHD


Catalogue code	Ah 20h	A EN							HD	SHD	
Truck Plus Evolution											
690 13 680022110	190	1050	3	1	B00	D5	SL/IV	HL2	X	-	
Truck Plus Evolution											
690 14 680022110	190	1050	3	1	B00	D5	FL	HL2	X	-	
Truck SHD											
690 32 680022110	190	1050	3	1	B00	D5	SL/IV	HL2	-	X	
Truck SHD											
690 34 680032100	190	1050	3	1	B00	D5	FL	HL2	-	X	
Truck Plus Evolution											
700 13 700106120	200	1100	3	1	B00	D5	SL/IV	HL2	X	-	
Truck Plus Evolution											
700 14 700106120	200	1100	3	1	B00	D5	FL	HL2	X	-	
Truck Plus Evolution											
700 15 700106120	200	1100	3	1	B00	D6	FL	HL2	X	-	
Truck SHD											
710 27 715014115	210	1050	3	1	B00	D6	FL	HL2	-	X	
Truck SHD											
730 11 725012115	230	1200	3	1	B00	D6	FL	HL2	-	X	
Truck SHD											
730 29 725012115	230	1200	4	1	B00	D6	FL	HL2	-	X	

Catalogue code	Ah 20h	A EN								HD	SHD	
----------------	-----------	---------	--	--	--	--	--	--	--	----	-----	--

Farmer


Farmer (6V)

165 17	165	900	0	1	B01	H1	FL	IHL	X	-
1601010850										




Farmer (6V)

195 17	195	1100	0	1	B01	H1	FL	IHL	X	-
1601010850										



Farmer (6V)

215 17	215	1150	0	1	B01	H1	FL	IHL	X	-
1601010850										




FARMER

Catalogue code	V	Ah 5h/20h/100h	A EN								
----------------	---	-------------------	---------	--	--	--	--	--	--	--	--

Marine


Marine

857 50	12	60/75/90	-	0	1	B13	L3	SL/IV	IHL
--------	----	----------	---	---	---	-----	----	-------	-----




Marine

857 51	12	60/75/90	-	1	1	B13	L3	SL/IV	IHL
--------	----	----------	---	---	---	-----	----	-------	-----



Marine

860 00	12	75/100/110	-	0	1	B13	L5	SL/IV	IHL
--------	----	------------	---	---	---	-----	----	-------	-----



MARINE

Schaltbilder / Układ ogniw / Layouts / Cuadro Polarité / Opbygning / Schakelschema's		Anschlusspole / Bieguny / Terminals / Polo Bornes / Batteripol máil / Aansluitpolen		
6V	0		1	
	0		3	
12V	1		3 + A	
	2		5	
	3		6	
	4		19	
24V	4			
	9			

	Bodenbefestigungen / Typ mocowania / Base hold-downs / Fijación de fondo Fixation / Fissaggio alla base / Bodembevestigingen		
B00			
B01			
B03			
B03 + A			
B05			
B06			
B09			
B13			
B13 + A			

	Deckel / Wieczko / Cover / Tapa / Couverture Coperchino / Deksel
BL	
SL	
FL	
IV	

	Handgriff / Uchwyt / Handle / Manecilla Poignée / Maniglia / Hendeel
HL1	
HL2	
IHL	